

CL7-150/HCM CL7-150/URM

LOG-PERIODIC ANTENNA

7.3 dBd gain
147–174 MHz

The Kathrein Scala Division CL7-150 broadband log periodic antenna is intended for use in professional fixed-station applications in the 147–174 MHz band. It features:



- Heavy-duty construction.
- Anodized, double-laminated heavy wall 6061-T6 aluminum tubing elements.
- Easy element replacement.
- Double-boom of two-inch 6061-T6 square aluminum tube.
- High front-to-back and front-to-side ratios, without minor lobes.
- Excellent performance, even in icing conditions.

Specifications:


Frequency range	147–174 MHz (broadband)
Gain	7.3 dBd
Impedance	50 ohms
VSWR	<1.5:1
Polarization	Horizontal or vertical
Front-to-back ratio	>25 dB
Maximum input power	250 watts (at 50°C)
H-plane beamwidth	82 degrees (half-power)
E-plane beamwidth	48 degrees (half-power)
Connector	N female
Weight	25 lb (11.4 kg)
Dimensions	53.3 x 40.3 inches (maximum) (1353 x 1022 mm)
Equivalent flat plate area	2.5 ft ² (0.232 m ²) (maximum)
Wind survival rating*	120 mph (200 kph)
Shipping dimensions	59 x 9 x 8 inches (1499 x 229 x 203 mm)
Shipping weight	30 lb (13.6 kg)
Mounting	For masts of 2.375 inches (60 mm) OD.
	CL7-150/HCM Horizontal center-mount
	CL7-150/URM Horizontal or vertical rear-mount

See reverse for order information.

* Mechanical design is based on environmental conditions as stipulated in EIA-222-F (June 1996) and/or ETS 300 019-1-4 which include the static mechanical load imposed on an antenna by wind at maximum velocity. See the Engineering Section of the catalog for further details.



H-plane
Horizontal pattern – V-polarization
Vertical pattern – H-polarization





E-plane
Horizontal pattern – H-polarization
Vertical pattern – V-polarization



10239-B

CL7-150/HCM
CL7-150/URM
LOG-PERIODIC ANTENNA
7.3 dBd gain
147–174 MHz



(Shown vertically polarized)

Order Information:

Model	Description
CL7-150/HCM	Horizontal center-mount antenna
CL7-150/URM	Horizontal or vertical rear-mount antenna

All specifications are subject to change without notice