












Note: The dimensions listed here show the maximum outside dimensions including mounting brackets, end caps, etc. and therefore may not match dimensions shown on individual data sheets.



10926-E

All specifications are subject to change without notice




All specifications are subject to change without notice

| Profile | Width | Depth | 3 Sector Mounting Bracket: 742 263 | | | |
|---------|--------------------------|-------------------------|------------------------------------|------------------------------|--------------------------|-------------------------|
| | | | Dout 742 033 850 10058 | Dout 742 034 850 10059 | Dout 742 317 | Dout 742 317 |
| | | | Mast dia: 3.5" (88.9 mm) | 4.5" (114.3 mm) | 5.5" (139.7 mm) | 3.5" (88.9 mm) |
| PA1 | 10.63 inches (270 mm) | 5.39 inches (137 mm) | Not Recommended | 18.1 inches (460 mm) | 19 inches (483 mm) | 17.8 inches (452 mm) |
| PA2 | 10.63 inches (270 mm) | 6.34 inches (161 mm) | Not Recommended | 20 inches (508 mm) | 21 inches (533 mm) | 19.7 inches (500 mm) |
| PA3 | 10.63 inches (270 mm) | 6.73 inches (171 mm) | Not Recommended | 21 inches (533 mm) | 21.9 inches (556 mm) | 20.7 inches (525 mm) |
| PA4 | 12.13 inches (308 mm) | 6.93 inches (176 mm) | Not Recommended | 22 inches (559 mm) | 23 inches (584 mm) | 21.8 inches (554 mm) |
| PA5 | 10.59 inches (269 mm) | 6.65 inches (169 mm) | Not Recommended | 21 inches (533 mm) | 22 inches (559 mm) | 20.8 inches (528 mm) |
| PC1 | 10.51 inches (267 mm) | 5.04 inches (121 mm) | Not Recommended | 18.5 inches (470 mm) | 19.4 inches (493 mm) | 18.1 inches (460 mm) |
| PC2 | 10.2 inches (259 mm) | 4.33 inches (110 mm) | Not Recommended | 18.11 inches (460 mm) | 18.7 inches (475 mm) | 17.9 inches (454 mm) |
| PC3 | 11.93 inches (303 mm) | 4.49 inches (114 mm) | Not Recommended | 19 inches (483 mm) | 19.8 inches (502 mm) | 18.8 inches (472 mm) |
| PC4 | 10.4 inches (255 mm) | 4.49 inches (114 mm) | Not Recommended | 18.5 inches (470 mm) | 19 inches (483 mm) | 18.2 inches (462 mm) |
| PF1 | 6.42 inches (163 mm) | 1.97 inches (50 mm) | 10.2 inches (259 mm) | 12 inches (305 mm) | 13 inches (330 mm) | 11.8 inches (300 mm) |
| PF2 | 6.42 inches (163 mm) | 2.52 inches (64 mm) | 10.2 inches (259 mm) | 12.25 inches (311 mm) | 13.25 inches (337 mm) | 11.9 inches (303 mm) |
| PF3 | 10.63 inches (270 mm) | 3.11 inches (79 mm) | 13.7 inches (348 mm) | 15.5 inches (394 mm) | 16 inches (406 mm) | 15.1 inches (384 mm) |
| PF4 | 6.42 inches (163 mm) | 2.52 inches (64 mm) | 12 inches (305 mm) | 13.75 inches (349 mm) | 14.5 inches (368 mm) | 13.4 inches (341 mm) |
| PF5 | 6.38 inches (162 mm) | 3.27 inches (83 mm) | 12.5 inches (318 mm) | 14.5 inches (368 mm) | 15.5 inches (394 mm) | 14.3 inches (363 mm) |
| PF6 | 8.11 inches (206 mm) | 3.47 inches (88 mm) | 13.7 inches (348 mm) | 15.5 inches (393 mm) | 16.3 inches (414 mm) | 15.3 inches (388 mm) |
| PF7 | 12.05 inches (306 mm) | 3.54 inches (90 mm) | NA | 17.4 inches (442 mm) | 18 inches (457 mm) | 17.2 inches (436 mm) |
| PF8 | 12.99 inches (330 mm) | 3.82 inches (97 mm) | NA | 17.7 inches (450 mm) | 18.4 inches (467 mm) | 17.5 inches (444 mm) |
| PF9 | 6.1 inches (155 mm) | 3.82 inches (97 mm) | 14.2 inches (360 mm) | 15.7 inches (399 mm) | 16.7 inches (424 mm) | 15.4 inches (391 mm) |
| PF10 | 6.1 inches (155 mm) | 3.43 inches (87 mm) | 12.75 inches (324 mm) | 14.8 inches (375 mm) | 15.7 inches (400 mm) | 14.5 inches (367 mm) |
| PF11 | 6.1 inches (155 mm) | 4.25 inches (108 mm) | 14.5 inches (368 mm) | 16.3 inches (413 mm) | 17.3 inches (439 mm) | 16 inches (405 mm) |

Note: The dimensions listed here show the maximum outside dimensions including mounting brackets, end caps, etc. and therefore may not match dimensions shown on individual data sheets.

For antennas with rear facing connectors contact Kathrein Scala Division Sales Engineering to verify compatibility with sector mount brackets.



All specifications are subject to change without notice